

Lista sa podacima o proizvodima

Specifikacije



Kablovska uvodnica 2 otvora Ø 33 do 72mm direktna montaža Prisma G IP55

LVS08899

Osnovne informacije

Grupa proizvoda	PrismaSeT G PrismaSeT
Kompatibilnost grupe proizvoda	PrismaSeT (PrismaSeT G) orman
Tip proizvoda ili komponente	Ploča sa uvodnicama
Pribor / posebna kategorija	Pribor ormana
Kompatibilnost proizvoda	IP55 orman

Dopunske informacije

Opis kućišta/ormana	Nadzidni orman - širina 600 mm
Tip uvodne ploče	Izrezi
Lokacija za montiranje	Vrh Dno
Materijal	Izolacioni materijal
Broj kablovskih uvoda	2 33...72 mm
Količina po setu	Set od 1
Dubina	180 mm
Masa proizvoda	0,44 kg
Boja	Bela (RAL 9003)

Okruženje

Ip stepen zaštite	IP55
-------------------	------

Pakovanje


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4,2 cm
Package 1 Width	16 cm
Package 1 Length	25 cm
Package 1 Weight	421 g
Unit Type of Package 2	BB1

Number of Units in Package 2	30
Package 2 Height	35 cm
Package 2 Width	35 cm
Package 2 Length	68,5 cm
Package 2 Weight	13,613 kg
Unit Type of Package 3	P12
Number of Units in Package 3	180
Package 3 Height	85 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	93,5 kg

Održivost ponude

Status održive ponude	Green Premium proizvod
Propis REACH	REACH deklaracija
REACH bez SVHC	Da
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS) EU RoHS deklaracija
Bez toksičnih teških metala	Da
Bez žive	Da
RoHS regulativa za Kinu	RoHS deklaracija za Kinu Proaktivna RoHS deklaracija za Kinu (izvan RoHS pravnog okvira za Kinu)
Informacije o RoHS izuzecima	Da
Izjava o zaštiti okoliša	Profil ekološke prihvatljivosti proizvoda
Bez PVC	Da
Učinak u vezi sa sadržajem halogena	Proizvod sa plastičnim delovima bez halogena

Dimenzije



- All dimensions are approximate and are in mm.
- Also see technical documentation.

Preporučene zamene